

**DON'T
BE SAFETY
BLINDED, 
BE SAFETY
MINDED.**

**PREPARE & PREVENT
INSTEAD OF
REPAIR & REPENT.**



PINOLEAKPES CORPORATION

Add: 89 Anahaw St., Brgy. Veterans Village, Project 7, Quezon City

Tel: (02) 8208-8228

Cell: +639159252309

Email: nowserving01@gmail.com

<https://pinoleakpes.wixsite.com/pinoleakpes>

HIGH-QUALITY

Professional safety lockout manufacturer



PINOLEAKPES CORPORATION
no leak between the pipes



COMPANY PROFILE

PINOLEAKPES Corporate Office

89 Anahaw St., Veterans Village
Quezon City, Metro Manila

MISSION

Our mission is to supply the highest quality products to customers with unmatched level of customer service.

VISION

To be the leading provider of mechanical supplies and fire protection products in the Philippines.

PINOLEAKPES, read as “No Leak Between The Pipes” as the phrase “**NO LEAK**” is between the word “**PIPES**”.

The company’s business is mainly about supplying mechanical fittings and valves that are usually installed between the pipes. The word “**NO LEAK**” also implies “**QUALITY**” and “**ASSURANCE**” for customer that would be no leakage on their pipeline if they’ll use **PINOLEAKPES** products.

Though, the name of the organization may appear as new, yet, it has been in business since 2015, and has already served 12,000 purchase orders just in three years of its inception.

PINOLEAKPES is a distributor of products for pipe joining systems and mechanical supplies, fire protections and HVAC-R driven to provide efficient and low price items.

We have been in the business since 2013 formerly “**BETWEEN the PIPES ENTERPRISES**” maintaining an excellent track record of service and meeting the customers’ requirement for quality.

型号	产品图片	描述
GLC-07		TLB-01x1 EP-02Lx1 AGV-01x1 ASBV-01x1 GV-01x1 GV-02x1 GV-07x1 AC-02x1
GLC-08		TLB-03x1 S/S38x2 HS-02x2 MCTx1 GV-01x1 CB-14x1 CB-11x1
GLC-09		TLB-03x1 S/S38x2 LT-02x5 MCTx1 CB-08x2 HS-01x1
GLC-10		PGL-01x1 S/S38x4 AGV-01x1 HS-02x2 AHS-01x2 AC-01-2x1 HN-01x1 ASBV-01x1 CB-14x2 CB-08x2 LT-01)x10
GLC-11		TLB-03x1 HS-01x1 HS-02x1 S/S38x2 MCTx2 EP-01x1 CB-07x1 CB-08x1 LT-02x10

LOCKOUT KIT

Can match suit according to customer's request

ITEM	PICTURE	DESCRIPTION
GLC-03		GLC-03x1 S/S38x4 ASBV-01x1 CB-07x1 CB-08x1 CB-09x1 AC-01-2x1 LT-02x10 HS-01x2 AHS-01x1 AHS-02x1 HN-01x1 AGV-01x1
GLC-04		TLB-01x1 GV-01x1 GV-02x1 GV-03x1 S/S38x2 HS-01x2 AC-01-2x1 AC-02x1 AGV-01x1 ASBV-01x1
GLC-05		TLB-01x1 S/S38x4 GV-01x1 LT-01x10 AC-03x1 GV-07x1 HS-02x3
GLC-06		TLB-03x1 S/S38x2 CB-02-Sx2 CB-14x1 MCPOWx1 MCPOx1 HN-01x1 CB-08x1 CB-09x1 LT-02x5

CATALOG

		SAFETY PADLOCK	01-04
		CIRCUIT BREAKER LOCKOUT	05-11
		VALVE LOCKOUT	12-15
		CABLE LOCKOUT	16-18
		ELETRICAL LOCKOUT	19-21
		LOCKOUT HASP	22-25
		LOCKOUT BOX&BAG	26-28
		LOCKOUT STATION	29-30
		LOCKOUT TAGS	31-33
		LOCKOUT KIT	34-35



SAFETY PADLOCK

ITEM	DESCRIPTION
KT-01	Size:309mm×92mm,Diameter:60mm Tags size : 210mm×85mm



Chinese&English



- a) Made from ABS.
- b) Provides system, procedural and legal compliance for scaffolds on work sites.
- c) Provides a clear inspection trail giving integrity and control of work carried out.
- d) The tags are available in three durable write-on materials, providing highly visual and eye-catching information.
- e) Each with a scaffold tag holder and a tag. The tags can be customized.

ITEM	DESCRIPTION
ETP-01	Black marker, repeatable



- a) Used on the PVC tag.
- b) Use cloth and paper to erase the script that the pen written.

Lockout Tags



ITEM	DESCRIPTION
LT-01	75MM(W)x146MM(H)x0.5MM(T)
LT-02	75MM(W)x146MM(H)x0.5MM(T)
LT-02C	75MM(W)x146MM(H)x0.5MM(T)
LT-03C	75MM(W)x146MM(H)x0.5MM(T)
LT-04C	75MM(W)x146MM(H)x0.5MM(T)
LT-05C	75MM(W)x146MM(H)x0.5MM(T)



- a) Made from PVC material.
- b) Can be written by erasable pen.
- c) Use with padlock to remind that the device has been lockout and can not be operated . It can only be opened by the one who lock it.
- d) On tag, you can see "danger /Do not operate/Caution security warning language and also "name /department /date"etc blank for you to fill in.
- e) Other wording and design can be customized.

Lockout Tags

ITEM	DESCRIPTION
LT-06	55mmx85mm,other size could be customized



- a) Made from PVC material.
- b) Can be written by erasable pen.
- c) Use with padlock to remind that the device has been lockout and can not be operated . It can only be opened by the one who lock it.
- d) On tag, you can see "danger /Do not operate/Caution security warning language and also "name /department /date"etc blank for you to fill in.
- e) Other wording and design can be customized.


ITEM	DESCRIPTION
ETP-02	Red,,green,yellow

Key Tags



- a) Made from PE material, durable using.
- b) Comes with a writable white paper inside.
- c) Overall size: 58x21mm
- d) All colors available.

OEM CUSTOM SERVICE SUPPORT



Differnt sticker could be customized




Different body shapes for your choice



Various shackle can be customized




Different color for your choice



Lockout Tag & Scaffold Tag

ITEM	DESCRIPTION
S/SF-01	140mm(L)×40mm(W)×80mm(H),can accommodate 5 padlocks.
S/SF-02	270mm(L)×40mm(W)×80mm(H),can accommodate 10 padlocks.
S/SF-03	400mm(L)×40mm(W)×80mm(H),can accommodate 15 padlocks.
S/SF-04	530mm(L)×40mm(W)×80mm(H),can accommodate 20 padlocks.


Metal Padlock Station



- a) Made from heavy duty steel with durable powder coat finish, which ensures long life in manufacturing facilities.
- b) English warning label. Other language can be custom made.

Tags Station

ITEM	DESCRIPTION
S/SF-05	Different tag station could be choose



- a. It is combination of steel plate which surface high temperature spraying plastic treatment and tagout box which is made from engineering plastic PC.
- b. Can accommodate 10 tagout box, each tagout box can accommodate 20 pieces tagout.
- c. Can custom made 5, 10, 15, 20 tagout boxes.
- d. Can be customized different colors.


ITEM	DESCRIPTION
PF-01	280mm(W)x 480mm(H)x 55mm(D),48 keys holes
PF-02	395mm(W)x 640mm(H)x 55mm(D),96 keys holes

Key Box

- a.表面铝合金制成。
- b.可放置钥匙、卡片等
- c.柜体内部的锁钩可以调节。
- d.其他尺寸可以定制。



KEY CHARTING SYSTEM FOR SAFETY PADLOCKS



REGISTER KEY SYSTEM

It is important that each employee at a site has a unique padlock key to help prevent duplicate keys from jeopardizing your lockout program. We promise to use different key and numbering for each order if required. Besides each key can be recorded in our programming system so that you can reorder the same key whenever necessary.

38MM SAFETY PADLOCK



ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION
S/S38-KA	Keyed Alike(KA)	Steel	The type of lock body: A,B,C
S/S38-KD	Keyed Differ(KD)		The standard lock body: C
S/S38-MK	Master Key(MK)		The standard color: RED
S/S38-GMK	Grand Master Key(GMK)		
PL38-KA	Keyed Alike(KA)	Nylon	
PL38-KD	Keyed Differ(KD)		
PL38-MK	Master Key(MK)		
PL38-GMK	Grand Master Key(GMK)		

- RED
- PRP
- YLW
- BLK
- BLU
- DBLU
- GRN
- WHT
- ORG
- GRY

ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION
S/S76-KA	Keyed Alike(KA)	Steel	The type of lock body: A,B,C
S/S76-KD	Keyed Differ(KD)		The standard lock body: C
S/S76-MK	Master Key(MK)		The standard color: RED
S/S76-GMK	Grand Master Key(GMK)		
PL76-KA	Keyed Alike(KA)	Nylon	
PL76-KD	Keyed Differ(KD)		
PL76-MK	Master Key(MK)		
PL76-GMK	Grand Master Key(GMK)		

76MM SAFETY PADLOCK



- RED
- PRP
- YLW
- BLK
- BLU
- DBLU
- GRN
- WHT
- ORG
- GRY

25MM SAFETY PADLOCK



ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION
S/S25-KA	Keyed Alike(KA)	Steel	The type of lock body: A,B,C
S/S25-KD	Keyed Differ(KD)		The standard lock body: C
S/S25-MK	Master Key(MK)		The standard color: RED
S/S25-GMK	Grand Master Key(GMK)		
PL25-KA	Keyed Alike(KA)	Nylon	
PL25-KD	Keyed Differ(KD)		
PL25-MK	Master Key(MK)		
PL25-GMK	Grand Master Key(GMK)		

- RED
- PRP
- YLW
- BLK
- BLU
- DBLU
- GRN
- WHT
- ORG
- GRY

- a) Reinforced nylon body, withstand temperature from -20°C to +80°C. The steel shackle is chrome plated; the non-conductive shackle is made from nylon, withstand temperature from -20°C to +120°C, ensuring the strength and deformation fracture not easily.
- b) Key Retaining Feature: When the shackle is open, the key can't be removed.
- c) Laser printing and logo engraving available if required.
- d) All different colors available.

Management Lockout Station



GLC-01

ITEM	DESCRIPTION
GLC-01	406mm(W)×315mm(H)×65mm(D)
GLC-01F	Include 5/10 pcs safety padlock , 1 pc lockout hasp, 10pcs lockout tags
GLC-02	558mm(W)×393mm(H)×65mm(D)
GLC-02F	Include 10/20 pcs safety padlock , 4 pc lockout hasp, 20pcs lockout tags



GLC-01F



GLC-02



GLC-02F

- a) Made from engineering plastic PC.
- b) It's one piece design, with a cover to lock out. Can accommodate padlocks, hasps, lockout tags etc.
- c) There's a lockable combination padlock hole for locking out to limit access to authorized employees.

ITEM	DESCRIPTION
BY-10	L343mm ×H343mm

Lockout Station



- a) The board is made of light and durable acrylic, without cover.
- b) It can accommodate padlocks, hasps and tags.

Lockout Station



ITEM	DESCRIPTION
BY-20	L597mm ×H292mm

- a) The board is made of light and durable acrylic, without cover.
- b) It can accommodate padlocks, hasps and tags.

ITEM	DESCRIPTION
GL-03	360mm(W)×450mm(H)×155mm(D)

Management Lockout Station

- a) Made from surface high temperature spraying plastic treatment steel plate.
- b) There are two adjustable separators which can allocate spaces easily.
- c) The station is multifunctional for all kinds of lockouts, especially for department usage.
- d) Be fixed with screws.
- e) Can be customized made non-perspective panel.



Portable Padlock Station

ITEM	DESCRIPTION
PF-01	Can carry up to 12 padlocks at the same time.



PF-01



- a. Made from injected engineering plastic reinforced nylon.
- b. Labels are available.
- c. Can carry up to 12 padlocks at the same time.

ITEM	DESCRIPTION
TLB-01	350mm(L)×230mm(H)×210mm(W) 390mm(L)×290mm(H)×210mm(W)

Portable Lockout Bag



TLB-01

- a) Made from durable waterproof nylon fabric.
- b) Can custom made the sign on the lockout bag surface.
- c) With easy carrying hand straps and a shoulder strap.

Portable Lockout Bag

ITEM	DESCRIPTION
TLB-03	200mm(L)×130mm(H)×55mm(W)



TLB-03



- a) Made from water resisting polyester cloth.
- b) Light-weight and easy to carry or wear with the adjustable waist straps.
- c) Can customize the sign on the lockout bag surface.

ITEM	DESCRIPTION
TLB-04	280mm(L)×300mm(H)×80mm(W)

Portable Lockout Bag



- a) Made from water resisting polyester cloth.
- b) Light-weight and easy to carry.
- c) Can customize the sign on the lockout bag surface.

Lockout Bag

ITEM	DESCRIPTION
TLB-05	195mm*115mm*75mm



- a) Made from water resisting polyester cloth.
- b) Light-weight and easy to carry .
- c) Can customize the sign on the lockout bag surface.
- d) You can select the safety padlocks & accessories you need with this tool bag. Make your own LOTO products Kit !

ITEM	DESCRIPTION
TLB-11	450mm*245mm,cotroller lockout bag

Cotroller Lockout Bag



- a) Made from flexible and durable fabric.
- b) Effectively locks out odd size and large electrical connectors and hoist controls.
- c) Flexible and durable rip stop nylon bag fits easily in safety tool boxes.
- d) Warning sign can be customized.

Management Lockout Station

ITEM	DESCRIPTION
GL-04	450mm(W)×600mm(H)×85mm(D)



- a) Made from surface high temperature spraying plastics treatment steel plate.
- b) With 32 padlock positions, each padlock position can hang 2 padlocks or hasps.
- c) Other size and specification can be customized.

40MM SAFETY PADLOCK

ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION
S/SDIA4-KA	Keyed Alike(KA)	Steel	The type of lock body: A,B,C
S/SDIA4-KD	Keyed Differ(KD)		The standard lock body: C
S/SDIA4-MK	Master Key(MK)		The standard color: RED
S/SDIA4-GMK	Grand Master Key(GMK)	Nylon	<ul style="list-style-type: none"> RED PRP YLV BLK BLU DBLU GRN WHT ORG GRY
PLDIA4-KA	Keyed Alike(KA)		
PLDIA4-KD	Keyed Differ(KD)		
PLDIA4-MK	Master Key(MK)		
PLDIA4-GMK	Grand Master Key(GMK)		



ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION
DP-S/S38-KA	Keyed Alike(KA)	Steel	The type of lock body: A,B,C
DP-S/S38-KD	Keyed Differ(KD)		The standard lock body: C
DP-S/S38-MK	Master Key(MK)		The standard color: RED
DP-S/S38-GMK	Grand Master Key(GMK)	Nylon	<ul style="list-style-type: none"> RED PRP YLV BLK BLU DBLU GRN WHT ORG GRY
DP-PL38-KA	Keyed Alike(KA)		
DP-PL38-KD	Keyed Differ(KD)		
DP-PL38-MK	Master Key(MK)		
DP-PL38-GMK	Grand Master Key(GMK)		



CABLE PADLOCK

ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION
CA175 KA	Keyed Alike(KA)	Cable	The type of lock body: A,B,C
CA175 KD	Keyed Differ(KD)		The standard lock body: C
CA175 MK	Master Key(MK)		The standard color: RED
CA175 GMK	Grand Master Key(GMK)		<ul style="list-style-type: none"> RED PRP YLV BLK BLU DBLU GRN WHT ORG GRY



- a) Reinforced nylon body, withstand temperature from -20°C to +80°C. The steel shackle is chrome plated; the non-conductive shackle is made from nylon, withstand temperature from -20°C to +120°C, ensuring the strength and deformation fracture not easily.
- b) Key Retaining Feature: When the shackle is open, the key can't be removed.
- c) Laser printing and logo engraving available if required.
- d) All different colors available.

DUSTPROOF PADLOCK




ITEM	KEYSYSTEM	SHACKLE	DESCRIPTION										
DF-S/S38-KA	Keyed Alike(KA)	Steel	The type of lock body: A,B,C										
DF-S/S38-KD	Keyed Differ(KD)		The standard lock body: C										
DF-S/S38-MK	Master Key(MK)		The standard color: RED										
DF-S/S38-GMK	Grand Master Key(GMK)		<table border="0"> <tr> <td>● RED</td> <td>● PRP</td> </tr> <tr> <td>● YLW</td> <td>● BLK</td> </tr> <tr> <td>● BLU</td> <td>● DBLU</td> </tr> <tr> <td>● GRN</td> <td>● WHT</td> </tr> <tr> <td>● ORG</td> <td>● GRY</td> </tr> </table>	● RED	● PRP	● YLW	● BLK	● BLU	● DBLU	● GRN	● WHT	● ORG	● GRY
● RED	● PRP												
● YLW	● BLK												
● BLU	● DBLU												
● GRN	● WHT												
● ORG	● GRY												
DF-PL38-KA	Keyed Alike(KA)	Nylon											
DF-PL38-KD	Keyed Differ(KD)												
DF-PL38-MK	Master Key(MK)												
DF-PL38-GMK	Grand Master Key(GMK)												

- a) Reinforced nylon body, withstand temperature from -20°C to +80°C. The steel shackle is chrome plated; the non-conductive shackle is made from nylon, withstand temperature from -20°C to +120°C, ensuring the strength and deformation fracture not easily.
- b) Key Retaining Feature: When the shackle is open, the key can't be removed.
- c) Laser printing and logo engraving available if required.
- d) All different colors available.

ITEM	KEYSYSTEM	A(MM)	B(MM)	C(MM)	D(MM)
DLS-01	KA, KD,MK	29	7.3	41	48
DLS-02		47	7.3	41	48

DUSTPROOF PADLOCK



- a) Shackle made from hardened steel with PVC cover, anti-cutting and anti-sawing.
- b) Durable brass cylinder, high strength, high accuracy, anti-rust.
- c) A cap to cover the key hole, water proof and dust proof.
- d) Available in different colors and shackles.
- e) Keyed different, Keyed alike, Master keyed system available.

LAMINATED PADLOCK



ITEM	KEYSYSTEM	A(MM)	B(MM)	C(MM)	D(MM)
LA-0A	KA, KD,MK	23	6	35	40
LA-02		38	6	35	40
LA-03		36	6	35	40

- a) Made from hardened steel with more durable brass cylinder, anti-cutting and anti-sawing.
- b) With a plastic cover in the bottom, normally in blue. Other colors available.
- c) Keyed different, Keyed alike, Master keyed system available.
- d) Other lock width and shackle length also available.

Portable Group Lockout Box

ITEM	DESCRIPTION
GL-01	Size: 230mm(W)×155mm(H)×90mm(D)



- a) Made from surface high temperature spraying plastic treatment steel plate and stainless steel nylon handle.
- b) Several people can lock the important parts at the same time, can accommodate 12 padlocks.
- c) Can be used as mini portable lockout box, can accommodate several tagout, hasp, mini lockout etc.
- d) The label message in English. Other langue can be custom made.

ITEM	DESCRIPTION
GL-01	Size: 230mm(W)×155mm(H)×90mm(D)

- a) Made from surface high temperature spraying plastic treatment steel plate and stainless steel nylon handle.
- b) Several people can lock the important parts at the same time, can accommodate 13 padlocks.
- c) Can be used as mini portable lockout box, can accommodate several tagout, hasp, mini lockout etc.
- d) The label message in English. Other langue can be custom made.

Portable Group Lockout Box



Portable Group Lockout Box

ITEM	DESCRIPTION
GL-01-2	230mm(W)×155mm(H)×90mm(D), can accommodate 12 padlocks.



- a) Made from surface high temperature spraying plastic treatment steel plate and stainless steel nylon handle.
- b) Several people can lock the important parts at the same time, can accommodate 12 padlocks.
- c) Can be used as mini portable lockout box, can accommodate several tagout, hasp, mini lockout etc.
- d) The label message in English. Other langue can be custom made.

ITEM	DESCRIPTION
GL-07	580mm*430mm*90mm

- a) Made from surface high temperature spraying plastic treatment steel plate.
- b) With 22 padlock positions, each padlock position can hang 2 padlocks or hasps
- c) Other size and specification can be customized .

Management Lockout Station



Portable Group Lockout Box

ITEM	DESCRIPTION
PGL-01	410mm(W)×19mm(H)×185mm(D)



- a) Made of coated iron and engineering plastic PP.
- b) Warning words can be customized.

ITEM	DESCRIPTION
PGL-02	L400mm×W210mm ×H185mm.


- a) Made of stainless steel and engineering plastic ABS.
- b) Warning words can be customized.
- c) With lock design to avoid others touching.
- d) Size: L400mm×W210mm ×H185mm

Portable Group Lockout Box





Lockout Station, Lockout Box & Bags



CIRCUIT BREAKER LOCKOUT

CIRCUIT BREAKER LOCKOUT

ITEM	DESCRIPTION
MCPO	Pin in standard



- a) Mini circuit breaker locks are made from Nylon.
- b) A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian equipment.
- c) Lock with our Safety Padlocks.
- d) Devices can support padlocks with a shackle diameter up to 9/32" (7mm).
- e) Easily to be installed with a push button , no tools needed.
- f) Used for single and multi-pole circuit breakers.

ITEM	DESCRIPTION
MCPI	Pin in standard



- a) Mini circuit breaker locks are made from Nylon.
- b) A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian equipment.
- c) Lock with our Safety Padlocks.
- d) Devices can support padlocks with a shackle diameter up to 9/32" (7mm).
- e) Easily to be installed with a push button.
- f) Used for single and multi-pole circuit breakers.

CIRCUIT BREAKER LOCKOUT


ITEM	DESCRIPTION
MCPOW	Pin out wide




- a) Mini circuit breaker locks are made from Nylon.
- b) A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian equipment.
- c) Lock with our Safety Padlocks.
- d) Devices can support padlocks with a shackle diameter up to 9/32" (7mm).
- e) Easily to be installed with a push button , no tools needed.
- f) Used for single and multi-pole circuit breakers.

ITEM	DESCRIPTION
HN-02	Overall size:40mm×115mm,accept up to 3 padlocks.

- a) Made from PP.
- b) Non-conductive body, applied to lock out electric power isolations with high requirements on corrosive or explosion-proof places.
- c) Allow multiple padlocks to be used when isolating one energy source.
- d) Usage: pull and press the side.




ITEM	DESCRIPTION
HN-03	Overall size:61mm×107mm, shackle diameter 3mm.
HN-04	Overall size:61mm×107mm, shackle diameter 6mm.



- a) The lock body is made of ABS, and the shackle is made of PA.
- b) Non-conductive body, applied to lock out electric power isolations with high requirements on corrosive or explosion-proof places.
- c) With 3mm or 6mm shackle diameter available.

ITEM	DESCRIPTION
DHA-01	Head shackle size:38mm,tail shackle size:25mm,length:150mm.

- a) Made from aluminum with surface treatment, spark proof.
- b) Allow multiple padlocks to be used when isolating one energy source.
- c) Lock holes: 7.5mm diameter
- d) Overall length: 150mm, with 25mm and 38mm jaws.



ITEM	DESCRIPTION
HSS-01	Overall size:76mm*188mm,Accept up to 8 padlocks.



- a) Made from super aluminum alloy.
- b) The traditional hasp and tag integration become one.
- c) Anodized aluminum alloy hasps include tamperproof locking tabs.
- d) Pen and pencil markings are erasable allowing for repeated use.
- e) Allow six workers to use their individual locks..
- f) Label and color can be custom made.

ITEM	DESCRIPTION
FHS-01	Jaw Size 1"(25mm), accept up to 6 padlocks.
FHS-02	Jaw Size 1.5"(38mm), accept up to 6 padlocks.


- a) Made from hardened powder coated steel, durable and resist rust.
- b) It has a double locking arrangement. Hooks on jaws prevent them to be pulled apart.
- c) Lock holes: 12mm diameter.
- d) Jaw size: 1"(25mm) & 1.5" (38mm)

Economic Steel Lockout Hasp



Aluminum Lockout Hasp

ITEM	DESCRIPTION
AHS-01	Jaw Size 1"(25mm), accept up to 6 padlocks.
AHS-02	Jaw Size 1.5"(38mm), accept up to 6 padlocks.




- a) Made from surface treated and spark proof aluminum shackle with red nylon coated body.
- b) Allow multiple padlocks to be used when isolating one energy source.
- c) Lock holes: 10mm diameter.
- d) Jaw size: 1"(25mm) & 1.5" (38mm)



ITEM	DESCRIPTION
HN-01	Overall size: 43.5*175mm, accept up to 6 padlocks.

- a) Made from Non-conductive nylon
- b) Dielectric lockout hasps have exceptional electrical insulating characteristics.
- c) Allow multiple padlocks to be used at each lockout point.
- d) Keeps equipment inoperative while repairs or adjustments are made.

Insulation Lockout Hasp




ITEM	DESCRIPTION	CIRCUIT BREAKER LOCKOUT
MCT	Tie bar lockout	



- a) Mini circuit breaker locks are made from Nylon.
- b) A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian equipment.
- c) Lock with our Safety Padlocks.
- d) Devices can support padlocks with a shackle diameter up to 9/32" (7mm).
- e) Easily to be installed with a push button, no tools needed.
- f) Used for single and multi-pole circuit breakers.


CIRCUIT BREAKER LOCKOUT

ITEM	DESCRIPTION
CB-01	45mm×25mm×10mm



- a) Made from engineering plastic strengthened nylon PA.
- b) Lock out different types of circuit breakers.
- c) Fits on breaker toggles and can be tightened using screw driver.
- d) Size: 45mm×25mm×10mm.

ITEM	DESCRIPTION	CIRCUIT BREAKER LOCKOUT
CB-01-S	45mm×25mm×10mm	



- a) Made from engineering plastic strengthened nylon PA.
- b) Lock out different types of circuit breakers.
- c) Fits on breaker toggles and can be tightened without tools.
- d) Size: 45mm×25mm×10mm.

CIRCUIT BREAKER LOCKOUT

ITEM	DESCRIPTION
CB-02	51mm×25mm×23mm



- a) Made from engineering plastic strengthened nylon PA.
- b) Lock out different types of circuit breakers.
- c) Fits on breaker toggles and can be tightened using screwdriver.
- d) Size: 51mm×25mm×23mm.

ITEM	DESCRIPTION
CB-02-S	51mm×25mm×23mm

CIRCUIT BREAKER LOCKOUT



- a) Made from engineering plastic strengthened nylon PA.
- b) Lock out different types of circuit breakers.
- c) Fits on breaker toggles and can be tightened without tools.
- d) Size: 51mm×25mm×23mm.

CIRCUIT BREAKER LOCKOUT

ITEM	DESCRIPTION
CB-03	Suitable for circuit breakers with handle width ≤ 5mm
CB-04	Suitable for circuit breakers with handle width ≤ 5mm
CB-05	Suit for the large circuit breaker lockout
CB-06	Suitable for circuit breakers with handle width ≤ 12mm
CB-06-1	Suitable for circuit breakers with handle width ≤ 7.7mm



CB-03



CB-04




CB-06



CB-05




CB-06-1



- a) Made from engineering plastic strengthened nylon PA.
- b) Lock out different types of circuit breakers.

Steel Lockout Hasp


ITEM	DESCRIPTION
HS-01	Jaw Size 1"(25mm), accept up to 6 padlocks.
HS-02	Jaw Size 1.5"(38mm), accept up to 6 padlocks.



- a) Handle is made from PA, and lock shackle is made from nickel plated steel with red plastic or vinyl coated body, rust proof.
- b) Allow multiple padlocks to be used when isolating one energy source.
- c) Lock holes: 10.5mm diameter
- d) Jaw size: 1" (25mm) & 1.5" (38mm)
- e) Colors of handle can be customized.

ITEM	DESCRIPTION
HS-01L	Jaw Size 1"(25mm), accept up to 6 padlocks.
HS-02L	Jaw Size 1.5"(38mm), accept up to 6 padlocks.


Steel Lockout Hasp



- a) Handle is made from PA, and lock shackle is made from nickel plated steel with red plastic or vinyl coated body, rust proof.
- b) Steel lockout hasp includes tamper-proof interlocking tabs to prevent unauthorized opening.
- c) Lock holes: 10.5mm diameter.
- d) Jaw size: 1" (25mm) & 1.5" (38mm)
- e) Colors of handle can be customized.
- f) Allow multiple padlocks to be used when isolating one energy source.

Economic Steel Lockout Hasp

ITEM	DESCRIPTION
FHS-01	Jaw Size 1"(25mm), accept up to 6 padlocks.
FHS-02	Jaw Size 1.5"(38mm), accept up to 6 padlocks.





- a) Made from durable steel with red plastic or vinyl coated body, rust proof.
- b) Can be locked out by multiple workers on a single energy point, by attaching devices on the equipment.
- c) Lock holes: 12mm diameter.
- d) Jaw size: 1" (25mm) & 1.5" (38mm)



LOCKOUT HASP

CIRCUIT BREAKER LOCKOUT

ITEM	DESCRIPTION
CB-07	For 120-277V breaker lockouts, handle width ≤ 17mm



- a) Made from rugged polypropylene and impact modified nylon.
- b) Can be used with lockout cleats in the bottom for hard locking long sliding switches and switches with large angular rotation.
- c) Can be easily operated without any tools.
- d) Accepts padlock shackles up to 9/32" (7.5mm) in diameter.

ITEM	DESCRIPTION
CB-08	For 480-600V breaker lockouts, handle width ≤ 42mm

CIRCUIT BREAKER LOCKOUT



- a) Made from rugged polypropylene and impact modified nylon.
- b) Can be used with lockout cleats in the bottom for hard locking long sliding switches and switches with large angular rotation.
- c) Can be easily operated without any tools.
- d) Accepts padlock shackles up to 9/32" (7.5mm) in diameter.

CIRCUIT BREAKER LOCKOUT

ITEM	DESCRIPTION
CB-09	For large 480-600V breaker lockouts, handle width ≤ 72mm




- a) Made from rugged polypropylene and impact modified nylon.
- b) Can be used with lockout cleats in the bottom for hard locking long sliding switches and switches with large angular rotation.
- c) Can be easily operated without any tools.
- d) Accepts padlock shackles up to 9/32" (7.5mm) in diameter.

ITEM	DESCRIPTION
CB-10	For 120V circuit breakers which have holes in the switch tongue

- a) Made from engineering plastic strengthened nylon PP.
- b) For 120V circuit breakers which have holes in the switch tongue.
- c) Quick and easy usage-just snap it into place and apply padlock.
- d) Accepts lock shackles up to 10mm in diameter.



CIRCUIT BREAKER LOCKOUT




ITEM	DESCRIPTION
CB-11	Max clamping 20mm



- a) Made from rugged ABS.
- b) Fit wide or tall breaker toggles typically found on hi-voltage/hi-amperage breakers.
- c) Can be easily operated without any tools.
- d) Hole diameter: 10mm.

ITEM	DESCRIPTION
CB-12	Max clamping 15mm



CIRCUIT BREAKER LOCKOUT



- a) Made from rugged ABS.
- b) Fit wide or tall breaker toggles typically found on hi-voltage/hi-amperage breakers.
- c) Can be easily operated without any tools.
- d) Hole diameter: 10mm.

ITEM	DESCRIPTION
AS-03	Suitable for dia:≤30mm valve rod

- a) Made from engineering plastic ABS.
- b) The whole product is metal-free for superior spark proof and chemical resistance.
- c) Resistant to cracking and abrasion extreme weather and temperature conditions.
- d) Lockout cylinder tanks, including propane tanks on fork trucks and stand alone propane tanks.
- e) Easy to avoid unauthorized operation.
- f) Can be equipped together with hasps and padlocks.




Cylinder Tank Lockout



AS-03

ITEM	DESCRIPTION
AS-04	The neck rings up to 35mm




- a) Made from engineering plastic ABS.
- b) Prevents access to the main cylinder valve.
- c) Accommodates neck rings up to 35mm, and max diameter inside 83mm.

- d) Easy and efficient installation to save you time.
- e) Can be locked with 2 padlocks, lock shackle diameter up to 8.5mm. Lock with one padlock, lock shackle diameter up to 11mm.

ITEM	DESCRIPTION	Pneumatic Quick-Disconnect Lockout
AS-01	For 6.4mm 9.5mm 12.7mm male connection	

- a) Made from engineering plastic nylon PA.
- b) Device accommodates the majority of 1/4", 3/8" and 1/2" male fittings.
- c) Without auxiliary tools, use more convenient.



ITEM	DESCRIPTION
AS-02	Suitable for 7mm-20mm gas source




- a) Made from 304 stainless steel, corrosion resistance.
- b) Prevents pneumatic fitting from being connected to pressurized air source.
- c) Fits virtually all male pneumatic fittings found in manufacturing facilities.

- d) Measures 1-3/8" wide x 7-3/4" x 1/8" thick (3.4cm x 19.6cm x 0.3cm).
- e) Suitable for 2 padlocks, lock shackle diameter ≤7mm.
- f) Works with lockout hasps for multiple worker lockout.

Plug Lockout

ITEM	DESCRIPTION
EP-01S	For 110V plugs
EP-01M	For 220V plugs
EP-01L	For Large 220V/500V plugs



- a) Made from rugged ABS.
- b) Prevent plugs from being into the wall outlet, suitable for all kinds of industrial plugs.
- c) The plug completely sits inside the unit with the cable being fed through an access hole inside.
- d) Can be locked with 2-4 padlocks, lock shackle diameter up to 7mm.

ITEM	DESCRIPTION
BS-01	Height:31.9mm;outer diameter:49.6mm;inner diameter:22mm.
BS-02	Height:31.9mm;outer diameter:49.6mm;inner diameter:30mm.


Emergency Stop Button Lockout



- a) Made from durable transparent PC.
- b) Fit on press or screw emergency stop button.
- c) Easily used and permanently prevent workers from operating carelessly.
- d) For the hole diameter of 22-30mm.


Emergency Stop Button Lockout

ITEM	DESCRIPTION
BS-03	Fits both 30.5mm and 22.5mm diameter switches.




- a) Made from durable transparent PC.
- b) It prohibits access to a switch or control.
- c) Horse-show shaped retrofit base can be used on raised nameplates and off-center installation to accommodate rotary switch knobs.
- e) Accommodates buttons up to 50mm diameter and 45mm tall.
- f) Fits both 30.5mm and 22.5mm diameter switches.

ITEM	DESCRIPTION
CB-13	The length of the rod is 190mm



- a) The base is made of engineering plastic ABS and the main rod is made of nylon PA.
- b) The back self-adhesive track can be permanently fixed to the switchboard, simply clean the disk and paste it, without drilling.
- c) A perfect lockout solution for oversized or irregularly shaped switches.
- d) Colored bars indicates the switch position. Red bar means the switch is in off state, green bar means the switch is in on state.

ITEM	DESCRIPTION
CB-14	7mm≤a≤15mm





- a) Made from engineering plastic strengthened nylon PA.
- b) Self-locking screws, easy to lock without tools.
- c) Wide range of uses: Suitable for all kinds of miniature circuit breakers (handle width ≤ 15mm).

ITEM	DESCRIPTION
CB-15	Made from Nylon and glas fiber



- a) Material :Nylon and glass fiber.
- b) Can lock out one or multiple connections mini circuit breaker, this circuit breaker lockout apply to most switches in the market.
- c) No need to consider if the circuit breaker has a pinhole, much less the space between two pinholes, can lock out the off position of switch, The manual adjustment for locking is convenient and efficient.

ITEM	DESCRIPTION
CB-17	Suitable for the 100A-630A Schneider NSX plastic circuit breaker series.



- a) The lock body is made of standard A3 steel plate, with high temperature spray surface treatment.
- b) Slide left and right ,adjust the card head in two gears .
- c) Suitable for multi-lock management.
- d) Designed to lock Schneider medium and large plastic case circuit breakers in the closed state.




SAFETY VALVE LOCKOUT



ELECTRICAL LOCKOUT

ITEM	DESCRIPTION
AC-04	Cable dia:3.3mm,Length:2m



- a) Lock body: made from ABS, with insulation plastic coated steel cable.
- b) Accepts up to 6 padlocks for multiple lockout application.
- c) Cable length and color can be customized.
- d) Includes high-visibility, re-usable, write-on safety labels. The length of labels can be customized.

ITEM	DESCRIPTION
AC-05	Cable dia:3.5mm,Length:2.4m



- a) Lock body: made from nylon, with an insulation plastic coated steel cable.
- b) Non-slip design fits man's hand shape. Very convenient to be used.
- c) Cable length and color can be customized.
- d) Accepts up to 6 padlocks for multiple lockout application labels can be customized.
- e) Includes high-visibility, re-usable, write-on safety. The length of labels can be customized.


ITEM	DESCRIPTION
AC-06	Cable dia:3mm,Length:2m



- a) Lock body: made from nylon, with an insulation plastic coated steel cable.
- b) Non-slip design fits man's hand shape. Very convenient to be used.
- c) Cable length and color can be customized.
- d) Accepts up to 5 padlocks for multiple lockout application labels can be customized.
- e) Includes high-visibility, re-usable, write-on safety. The length of labels can be customized.

Economic Cable Lockout

GATE VALVE LOCKOUT



ITEM	DESCRIPTION	A	B	C
GV-01	Suitable for valve handle 1" to 2 1/2" (25MM-64MM) in diameter	80	36	20
GV-02	Suitable for valve handle 2 1/2" to 5" (64mm-127mm) in diameter	142	46	45
GV-03	Suitable for valve handle 5" to 6 1/2" (127mm-165mm) in diameter	184	53	63
GV-04	Suitable for valve handle 6 1/2" to 10" (165mm-254mm) in diameter	280	76	89
GV-05	Suitable for valve handle 10" to 13" (254mm-330mm) in diameter	364	76	105
GV-06	Suitable for valve handle 13"-18" (330mm-450mm) in diameter	457	75	123




- a) Made from durable ABS.
- b) Once locked, it covers around the hand wheel and prevent the valve wheel from being turned.
- c) Accept up to 1 padlock, locking shackle max diameter 7mm.
- d) Available in 5 sizes and red color, other colors can be customized, providing English tag.

ITEM	DESCRIPTION	GATE VALVE LOCKOUT
GV-08	Suitable for DN8-DN125 flange ball valves	




- a) Made from durable PP.
- b) Suitable for DN8-DN125 flange ball valves
- c) Accept up to 1 padlock, locking shackle max diameter 9mm.
- d) Red color, other colors can be customized, providing English tag.

ITEM	DESCRIPTION
AGV-01	Suitable for valve handle 1" to 6 1/2" (25mm-165mm) in diameter



- a) Made from durable ABS.
- b) Can be equipped together with padlocks. Padlock locking shackle max diameter 3/8" (10mm).
- c) Can be covered and rotated freely around valve wheel, and adjustable to fit a range of valve handles.

BALL VALVE LOCKOUT




ITEM	DESCRIPTION
SBV-01	Suitable for pipes 1/4" to 1" in diameter
LBV-01	Suitable for pipes 1 1/2" to 3" in diameter



- a) Made from hardened steel, surface treatment by high temperature spraying, rust proof.
- b) The single-piece design locks can quarter-turn ball valves in off position.
- c) Used on ball valve sizes from 1/4" (6.35mm) to 3" (76.2mm), hole diameter is 10mm.
- d) Red, other colors can be custom made.


ITEM	DESCRIPTION	BALL VALVE LOCKOUT
ASBV-01	Suitable for pipes 0.5" to 2.5" in diameter, OPEN on pipes from 0.5" to 1.25"	
ALBV-01	Suitable for pipes 2"-8" in diameter	



- a) Made from durable ABS, highly resistant of cracking and abrasion and supports extreme weather temperature condition.
- b) The two halves of the lockout encompass the ball valve handle to secure it from inadvertent activation of the valve handle.
- c) Suggested be equipped together with padlocks with max clamping shackle diameter of 8mm.

BUTTERFLY VALVE LOCK

ITEM	DESCRIPTION
BUV-01	Suitable for valve handle from 8mm to 45mm



- a) Made from PP.
- b) Good chemical property, resistant to oil stains and chemical product corrosion.
- c) Can be covered and rotated freely around valve wheels and adjustable to fit all ranges of valves handles.

ITEM	DESCRIPTION
AC-01-1	Cable dia:4mm,Length:1.8m
AC-01-2	Cable dia:6mm,Length:1.8m




- a) Lock body: made of ABS, withstands chemicals.
- b) Cable: tough, flexible multi-stranded steel cable, with clear plastic insulation coating.
- c) Cable length can be customized.
- d) Accepts up to 4 padlocks for multiple lockout application.
- e) Includes high-visibility, re-usable, write-on safety labels. Can be customized.
- f) Ideal for locking out multiple circuit breaker panels and side-by-side gate valve lockout.

Adjustable Cable Lockout




Adjustable Cable Lockout

ITEM	DESCRIPTION
AC-02	Cable dia:3.5mm,Length:2.4m



- a) Lock body: made of glass-filled nylon, withstands chemicals.
- b) Cable: tough, flexible multi-stranded steel cable, with clear plastic insulation coating.
- c) Cable length can be customized.
- d) Accepts 1 padlock to lock out.
- e) Can be equipped together with hasps for multiple lockout usage.

ITEM	DESCRIPTION
AC-03	Cable dia:3.8mm,Length:2m



- a) Lock body: made from industrial durable nylon, and insulation coated steel cable.
- b) Designed to effectively lock out a variety of isolation points, including gate valves, "T" valve handles, electrical disconnects, and much more.
- c) The handle is designed to operate the device without any tools needed.
- d) Cable length can be customized.

Wheel Cable Lockout



ITEM	DESCRIPTION
UV-01	With 1 arm-For quarter-turn ball valves
UV-02	With 2 arms- For 3,4 or 5 – way valves, or to lock valves in the "on", "off", or "throttled" position
UV-03	With coated cable-Using cable attachment for gate valves
UV-04	Base clamp only-For butterfly valves
UV-05	With 1 arm& coated cable-Universal valve lockout for most valves



UV 01



UV 02



UV 03



UV-01 (实操图)



UV-02 (实操图)



UV-03 (实操图)



UV 04



UV 05



UV-05 (实操图)



UV-04 (实操图)

- a) Made from industrial grade steel and nylon.
- b) Enables to lock out valves of different types and sizes, such as large levers of valves, T-handles and other hard-to-secure mechanical devices.
- c) No other device offers such flexibility and security.
- d) Designed to handle extra impact and resist chemicals making them ideal for just about any environment.
- e) Max handle width 40mm (handle max thickness 28mm).

CABLE LOCKOUT

Small Blocking Arm

ITEM	DESCRIPTION
UBA-01	Length: 140mm



- a) Made from industrial grade steel and nylon.
- b) Used with universal valve lockout base.

DISCOVER WHAT SETS US APART FROM THE REST



Do you need
industrial
valves?

Scan me!



PINOLEAKPES
NO LEAK BETWEEN THE PIPES